© Co	terial Compositi pyright 2005. IPC, E national and Pan-Am	Bannockbi	urn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	aration of on encon	of the substa mpasses all	ances wi l lower le	thin the manufactu evel materials for w	rer listed i hich the n	tem. Not nanufactu	te: if the urer has	item is an asso engineering re	embly with lowe sponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribut				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					ials and M	als and Mfg Information				
Supplier Information																
Company name*			Company unique ID			Unique ID Authority					Response Date*					
onsemi												2023-06	2023-06-08			
Contact Name			Title - Contact			]	Phone - Contact*					Email -	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative			Phone - Representative*					Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Requester Item N	Item Number Mfr Item		Number Mfr Item Name				Effective D	Date Ve	Version Manufacturing Site		Weight*			UOM	Unit Type	
	FPF1008			Integrated Load Switch			2023-06-08	3		TH	TH2		9.44		mg	Each
Manufacturing Proce	ess Information			1			1							1		
Terminal Plating	Terminal Plating / Grid Array Material		Cerminal Base Alloy J-S		J-STD-020 MS	020 MSL Rating		Peak Process Body Tempera		berature	ture Max Time at Peak Ter		emperature Number of		Reflow Cycle	es
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		) (no C	Alloy 1		1		260		С		30 secon		inds 3			
Comments											•	•				
evel 1 - maximum time at p	peak temperature d	uring sole	dering is 10-3	0 seconds												
For more information rega	rding material com	position p	lease refer to	page 3									-	-		

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Iomogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.6023	mg	Supplier	Silicon (Si)	7440-21-3		0.6023	mg	
Die Attach	0.0776	mg	Supplier	Isobornyl Methacrylate	7534-94-3		0.0047	mg	
			Supplier	Silver (Ag)	7440-22-4		0.0632	mg	
			Supplier	Isobornyl Acrylate	5888-33-5		0.0047	mg	
			Supplier	Misc.	Proprietary Data		0.0004	mg	
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.0047	mg	
Lead Frame	4.0051	mg	Supplier	Zinc (Zn)	7440-66-6		0.005	mg	
			Supplier	Iron (Fe)	7439-89-6		0.0941	mg	
			Supplier	Copper (Cu)	7440-50-8		3.9027	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0033	mg	
Mold Compound-Black	4.612	mg	Supplier	Carbon Black (C)	1333-86-4		0.0231	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		4.0586	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.2998	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2306	mg	
Plating	0.056	mg	Supplier	Silver (Ag)	7440-22-4		0.0009	mg	
			Supplier	Palladium (Pd)	7440-05-3		0.002	mg	
			В	Nickel (Ni)	7440-02-0		0.052	mg	
			Supplier	Gold (Au)	7440-57-5		0.0011	mg	
Vire Bond - Au	0.087	mg	Supplier	Gold (Au)	7440-57-5		0.087	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).